

市道川崎白木線舗装工事

(2 工 区)

数 量 計 算 書

建設部 維持修繕室

数 量 計 算 書 (2 工 区)

測 点	距 離	舗装版切断 (t=10cm以下)		舗装版掘削積込 (t=5cm)		機械掘削		t以外安定処理工 (t=30cm) 添加量 17.5kg/m ²		摘 要
		断 面	数 量	断 面	数 量	断 面	数 量	断 面	数 量	
NO.12	0.00			8.50	0.00	4.6	0.00	8.5	0.00	
NO.13	20.00			8.50	170.00	4.6	91.80	8.5	170.00	
NO.14	20.00			8.50	170.00	4.6	91.80	8.5	170.00	
NO.15	20.00			8.50	170.00	4.6	91.80	8.5	170.00	
NO.16	20.00			7.90	164.00	4.3	88.60	7.9	164.00	
NO.17	20.00			7.40	148.00	4.0	80.00	7.4	148.00	
NO.18	20.00	(左)	6.30	7.40	148.00	4.0	80.00	7.4	148.00	
NO.19	20.00	(右)	21.00	7.40	148.00	4.0	80.00	7.4	148.00	
NO.20	20.00			7.40	148.00	4.0	80.00	7.4	148.00	
NO.21	20.00			7.40	148.00	4.0	80.00	7.4	148.00	
NO.22	20.00			7.40	148.00	4.0	80.00	7.4	148.00	
NO.23	20.00			7.40	148.00	4.0	80.00	7.4	148.00	
NO.24	20.00			7.90	153.00	4.3	82.70	7.9	153.00	
NO.25	20.00			8.00	159.00	4.3	85.90	8.0	159.00	
NO.26	20.00			8.00	160.00	4.3	86.40	8.0	160.00	
NO.27	20.00			8.00	160.00	4.3	86.40	8.0	160.00	
NO.28	20.00			8.00	160.00	4.3	86.40	8.0	160.00	
小 計	320.00		27.30		2502.00		1351.80		2502.00	
合 計	320.00		27.30		2502.00		1351.80		2502.00	

数 量 計 算 書 (2 工 区)

測 点	距 離	下層路盤工(t=35cm)		上層路盤工(t=15cm)		基層工(t=5cm)		表層工(t=5cm)		摘 要
		断 面	数 量	断 面	数 量	断 面	数 量	断 面	数 量	
NO.12	0.00	8.50	0.00	8.50	0.00	8.5	0.00	8.5	0.00	
NO.13	20.00	8.50	170.00	8.50	170.00	8.5	170.00	8.5	170.00	
NO.14	20.00	8.50	170.00	8.50	170.00	8.5	170.00	8.5	170.00	
NO.15	20.00	8.50	170.00	8.50	170.00	8.5	170.00	8.5	170.00	
NO.16	20.00	7.90	164.00	7.90	164.00	7.9	164.00	7.9	164.00	
NO.17	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.18	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.19	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.20	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.21	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.22	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.23	20.00	7.40	148.00	7.40	148.00	7.4	148.00	7.4	148.00	
NO.24	20.00	7.90	153.00	7.90	153.00	7.9	153.00	7.9	153.00	
NO.25	20.00	8.00	159.00	8.00	159.00	8.0	159.00	8.0	159.00	
NO.26	20.00	8.00	160.00	8.00	160.00	8.0	160.00	8.0	160.00	
NO.27	20.00	8.00	160.00	8.00	160.00	8.0	160.00	8.0	160.00	
NO.28	20.00	8.00	160.00	8.00	160.00	8.0	160.00	8.0	160.00	
小 計	320.00		2502.00		2502.00		2502.00		2502.00	
合 計	320.00		2502.00		2502.00		2502.00		2502.00	

数量計算書（2工区）

名 称	規 格	計 算 式	小計	計
(区画線工)				
白色・実線	t=15cm	外側線 L1 = 320.0 + 320.0 + +		
		=	640.0	
		L2 = + + + +		
		+ + + + =		
		L3 = + + + + =		
		計	640	m 640
白色・破線	t=15cm	中央線 L1 = 160.0 + + + +		
		+ + + =	160.0	
		L2 = + =		
		計	160.0	m 160
白色・実線	t=30cm	T字マーク L = 3.00 + 3.00 + + =	6.0	m 6
白色・破線	t=45cm	横断歩道 L = + =		m
白色 矢印・記号・文字	t=15cm換算	交差点に注意 L1 = 121.5 + + + =	121.5	
		自転車マーク L2 = + + + + =		
		矢印 L3 = + + + + =		
		計	121.5	m 122
黄色 矢印・記号・文字	t=15cm換算	速度制限 L = =		m
黄色・実線	t=15cm	中央線 L = + =		m