

[illegible]

[illegible]

[illegible]

数量表

1工区(上水道課負担分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切断	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0													
No. 0 + 3.00	3.00	1.15	3.45	0.55	1.65	1.15	3.45	0.55	1.65	1.70	5.10		
No. 0 + 3.00		1.15		0.55		1.15		0.55		1.70			
No. 1	17.00	1.15	19.55	0.55	9.35	1.15	19.55	0.55	9.35	1.70	28.90		
No. 1		1.15		0.55		1.15		0.55		1.70			
No. 2	20.00	1.15	23.00	0.55	11.00	1.15	23.00	0.55	11.00	1.70	34.00		
No. 2		1.15		0.55		1.15		0.55		1.70			
No. 3	20.00	1.15	23.00	0.55	11.00	1.15	23.00	0.55	11.00	1.70	34.00		
No. 3		1.15		0.55		1.15		0.55		1.70			
No. 4	20.00	1.15	23.00	0.55	11.00	1.15	23.00	0.55	11.00	1.70	34.00		
No. 4		1.15		0.55		1.15		0.55		1.70			
No. 5	20.00	1.15	23.00	0.55	11.00	1.15	23.00	0.55	11.00	1.70	34.00		
No. 5		1.15		0.55		1.15		0.55		1.70			
No. 5 + 19.00	19.00	1.15	21.85	0.55	10.45	1.15	21.85	0.55	10.45	1.70	32.30		
小計	119.00		136.9		65.5		136.9		65.5		202.3		

数量表

2工区(上水道課負担分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切断	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0		1.20		0.55		1.20		0.55		1.75			
No. 1	20.00	1.20	24.00	0.55	11.00	1.20	24.00	0.55	11.00	1.75	35.00		
No. 1		1.20		0.55		1.20		0.55		1.75			
No. 2	20.00	1.20	24.00	0.55	11.00	1.20	24.00	0.55	11.00	1.75	35.00		
No. 2		1.20		0.55		1.20		0.55		1.75			
No. 3	20.00	1.20	24.00	0.55	11.00	1.20	24.00	0.55	11.00	1.75	35.00		
No. 3		1.20		0.55		1.20		0.55		1.75			
No. 4	20.00	1.20	24.00	0.55	11.00	1.20	24.00	0.55	11.00	1.75	35.00		
No. 4		1.20		0.55		1.20		0.55		1.75			
No. 5	20.00	1.20	24.00	0.55	11.00	1.20	24.00	0.55	11.00	1.75	35.00		
No. 5		1.20		0.55		1.20		0.55		1.75			
No. 5 + 16.00	16.00	1.20	19.20	0.55	8.80	1.20	19.20	0.55	8.80	1.75	28.00		
No. 5 + 16.00		1.20		0.55		1.20		0.55		1.75			
No. 5 + 19.00	3.00	1.20	3.60	0.55	1.65	1.20	3.60	0.55	1.65	1.75	5.25		
小計	119.00		142.8		65.5		142.8		65.5		208.3		

表
量
数

小計

数量表

4工区(上水道課負担分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切断	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0													
No. 1	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 1		1.05		0.55		1.05		0.55		1.60			
No. 2	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 2		1.05		0.55		1.05		0.55		1.60			
No. 3	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 3		1.05		0.55		1.05		0.55		1.60			
No. 4	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 4		1.05		0.55		1.05		0.55		1.60			
No. 5	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 5		1.05		0.55		1.05		0.55		1.60			
No. 5 + 16.00	16.00	1.05	16.80	0.55	8.80	1.05	16.80	0.55	8.80	1.60	25.60		
No. 5 + 16.00		1.05		0.55		1.05		0.55		1.60			
No. 5 + 19.00	3.00	1.05	3.15	0.55	1.65	1.05	3.15	0.55	1.65	1.60	4.80		
小計	119.00		125.0		65.5		125.0		65.5		190.4		

数量表

5工区(上水道課負担分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切断	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0													
No. 0 + 3.50	3.50	1.05	3.68	0.55	1.93	1.05	3.68	0.55	1.93	1.60	5.60		
No. 0 + 3.50		1.05		0.55		1.05		0.55		1.60			
No. 1	16.50	1.05	17.33	0.55	9.08	1.05	17.33	0.55	9.08	1.60	26.40		
No. 1		1.05		0.55		1.05		0.55		1.60			
No. 2	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 2		1.05		0.55		1.05		0.55		1.60			
No. 3	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 3		1.05		0.55		1.05		0.55		1.60			
No. 4	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 4		1.05		0.55		1.05		0.55		1.60			
No. 5	20.00	1.05	21.00	0.55	11.00	1.05	21.00	0.55	11.00	1.60	32.00		
No. 5		1.05		0.55		1.05		0.55		1.60			
No. 5 + 19.00	19.00	1.05	19.95	0.55	10.45	1.05	19.95	0.55	10.45	1.60	30.40		
小計	119.0		125.0		65.5		125.0		65.5		190.4		
合計	595.0		690.4		327.5		690.4		327.5		1,017.5		

数量表

1工区(全施工分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切斷	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0													
No. 0 + 3.00	3.00	11.45	24.98	0.55	1.65	11.45	24.98	0.55	1.65	12.00	26.63	13.60	
No. 0 + 3.00		5.20		0.55		5.20		0.55		5.75		0.6+0.6=1.2	
No. 1	17.00	5.20	88.40	0.55	9.35	5.20	88.40	0.55	9.35	5.75	97.75		
No. 1		5.20		0.55		5.20		0.55		5.75			
No. 2	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 2		5.20		0.55		5.20		0.55		5.75			
No. 3	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 3		5.20		0.55		5.20		0.55		5.75			
No. 4	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 4		5.20		0.55		5.20		0.55		5.75			
No. 5	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 5		5.20		0.55		5.20		0.55		5.75			
No. 5 + 19.00	19.00	5.20	98.80	0.55	10.45	5.20	98.80	0.55	10.45	5.75	109.25		
小計	119.00		628.2		65.5		628.2		65.5		693.6		14.8

2工区(全施工分)

数量表

測 点	距 離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切斷	
		断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量
No. 0		5.20		0.55		5.20		0.55		5.75			
No. 1	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 1		5.20		0.55		5.20		0.55		5.75			
No. 2	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 2		5.20		0.55		5.20		0.55		5.75			
No. 3	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 3		5.20		0.55		5.20		0.55		5.75			
No. 4	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 4		5.20		0.55		5.20		0.55		5.75			
No. 5	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 5		5.20		0.55		5.20		0.55		5.75			
No. 5 + 16.00	16.00	5.20	83.20	0.55	8.80	5.20	83.20	0.55	8.80	5.75	92.00		
No. 5 + 16.00		5.20		0.55		5.20		0.55		5.75			
No. 5 + 19.00	3.00	12.45	26.48	0.55	1.65	12.45	26.48	0.55	1.65	13.00	28.13		
小計	119.00		629.7		65.5		629.7		65.5		695.1		0.0

数量表

3工区(全施工分)

測点	距離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切斷	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0													
No. 0 + 3.00	3.00	11.45	24.98	0.55	1.65	11.45	24.98	0.55	1.65	12.00	26.63	13.50	
No. 0 + 3.00		5.20		0.55		5.20		0.55		5.75		0.6+0.6=1.2	
No. 1	17.00	5.20	88.40	0.55	9.35	5.20	88.40	0.55	9.35	5.75	97.75		
No. 1		5.20		0.55		5.20		0.55		5.75			
No. 2	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 2		5.20		0.55		5.20		0.55		5.75			
No. 3	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 3		5.20		0.55		5.20		0.55		5.75			
No. 4	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 4		5.20		0.55		5.20		0.55		5.75			
No. 5	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 5		5.20		0.55		5.20		0.55		5.75			
No. 5 + 19.00	19.00	5.20	98.80	0.55	10.45	5.20	98.80	0.55	10.45	5.75	109.25		
小計	119.00		628.2		65.5		628.2		65.5		693.6		14.7

4工区(全施工分)

数量表

測 点	距 離	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切断	
		断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量
No. 0		5.20		0.55		5.20		0.55		5.75			
No. 1	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 1		5.20		0.55		5.20		0.55		5.75			
No. 2	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 2		5.20		0.55		5.20		0.55		5.75			
No. 3	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 3		5.20		0.55		5.20		0.55		5.75			
No. 4	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 4		5.20		0.55		5.20		0.55		5.75			
No. 5	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 5		5.20		0.55		5.20		0.55		5.75			
No. 5 + 16.00	16.00	5.20	83.20	0.55	8.80	5.20	83.20	0.55	8.80	5.75	92.00		
No. 5 + 16.00		5.20		0.55		5.20		0.55		5.75			
No. 5 + 19.00	3.00	12.45	26.48	0.55	1.65	12.45	26.48	0.55	1.65	13.00	28.13		
小計	119.00		629.7		65.5		629.7		65.5		695.1		0.0

数量表

5工区(全施工分)

測点	距	舗装取壊(As)8cm【影響幅】		舗装取壊(As)5cm【掘削幅】		不陸整正(補足材=5cm)【影響幅】		不陸整正(補足材=2cm)【掘削幅】		表層工(t=4cm)		舗装切斷	
		断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量	断面数量	数量
No. 0		12.45		0.55		12.45		0.55		13.00		15.30	
No. 0 + 3.50	3.50	5.20	30.89	0.55	1.93	5.20	30.89	0.55	1.93	5.75	32.81	0.6+0.6=1.2	
No. 0 + 3.50		5.20		0.55		5.20		0.55		5.75			
No. 1	16.50	5.20	85.80	0.55	9.08	5.20	85.80	0.55	9.08	5.75	94.88		
No. 1		5.20		0.55		5.20		0.55		5.75			
No. 2	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 2		5.20		0.55		5.20		0.55		5.75			
No. 3	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 3		5.20		0.55		5.20		0.55		5.75			
No. 4	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 4		5.20		0.55		5.20		0.55		5.75			
No. 5	20.00	5.20	104.00	0.55	11.00	5.20	104.00	0.55	11.00	5.75	115.00		
No. 5		5.20		0.55		5.20		0.55		5.75			
No. 5 + 19.00	19.00	5.20	98.80	0.55	10.45	5.20	98.80	0.55	10.45	5.75	109.25		
小計	119.0		631.5		65.5		631.5		65.5		696.9		16.5
合計	595.0		3,147.3		327.5		3,147.3		327.5		3,474.3		46.0

各種計算書【カッター汚泥】

上水道課負担分

発生量	舗装版切断深さ		舗装版切断延長	
As	0.023	t/m × 0.08	m × 0.0	= 0.000 m3
	0.023	t/m × 0.05	m × 0.0	= 0.000 m3
			計	0.000 m3 = 0.00 m3

土木課負担分

As	0.023	t/m × 0.08	m × 46.0	= 0.085 m3
	0.023	t/m × 0.05	m × 0.0	= 0.000 m3
			計	0.085 m3 = 0.09 m3