

(1工区:小野白木線)

1式当り

[illegible]

数量計算書
(1工区:小野白木線)

一式当り

[illegible]

数量計算書
(1工区：小野白木線)

一式当り

[illegible]

数量表

測点	距離	舗装版散壊し		路上路盤再生		基層		表層							
		断面数量	数・量	断面数量	数・量	断面数量	数・量	断面数量	数・量	断面数量	数・量	断面数量	数・量	断面数量	数・量
-No. 4+17 ~ -No. 4	/	5.50 4.00	/	5.50 4.00	80.75 80.75	5.50 4.00	80.75 80.75	5.50 4.00	80.75 80.75	/	/	/	/	/	/
-No. 4 ~ -No. 3	20.00	4.00 4.00	80.00 80.00	4.00 4.00	80.00 80.00	4.00 4.00	80.00 80.00	4.00 4.00	80.00 80.00						
-No. 3 ~ -No. 2	20.00	4.00 3.90	79.00 79.00	4.00 3.90	79.00 79.00	4.00 3.90	79.00 79.00	4.00 3.90	79.00 79.00						
-No. 2 ~ -No. 1	20.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00						
-No. 1 ~ No. 0	20.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00						
No. 0 ~ No. 1	20.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00	3.90 3.90	78.00 78.00						
No. 1 ~ No. 1+3	3.00	3.90	11.70	3.90	11.70	3.90	11.70	3.90	11.70						
計	120.0		485.5		485.5		485.5		485.5						

数量表

測 点	距 離	舗装版取壊し		路上路盤再生		基層		表層									
		断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量
No 0 ～ No 1	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 1 ～ No 2	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 2 ～ No 3	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 3 ～ No 4	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 4 ～ No 5	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 5 ～ No 6	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 6 ～ No 7	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 7 ～ No 8	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 8 ～ No 9	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 9 ～ No 10	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 10 ～ No 11	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 11 ～ No 12	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 12 ～ No 13	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 13 ～ No 14	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 14 ～ No 15	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 15 ～ No 16	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 16 ～ No 17	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 17 ～ No 18	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 18 ～ No 19	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
No 19 ～ No 20	20.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00	4.10	82.00		
計	400.0		1,640.0		1,640.0		1,640.0		1,640.0		1,640.0		1,640.0		1,640.0		

各種計算書										
カッター汚泥量算出表										
・発生汚泥量										
アスファルト舗装版厚	t≦15cm	0.023	m	×	0.10	m	×	切断延長	1.230	m3
	t≦15cm	0.023	m	×		m	×		0.000	m3
	t≦15cm	0.023	m	×		m	×		0.000	m3
合計									1.23	m3
コンクリート舗装版厚	t≦15cm	0.023	m	×		m	×		0.000	m3
	t≦15cm	0.023	m	×		m	×		0.000	m3

数量総括表
(2工区:小野鷺山線)

1式当り

[illegible]

数量計算書
(2工区：小野鷺山線)

一式当り

[illegible]

数量表

2工区:小野鷲山線

測 点	距 離	切削オーバーレイ		断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量	断面数量	数 量
		断面数量	数 量																
NO 0 ~ NO 1	20.00	5.10	101.00																
NO 1 ~ NO 2	20.00	5.00	96.50																
NO 2 ~ NO 3	20.00	4.65	93.50																
NO 3 ~ NO 4	20.00	4.70	96.00																
NO 4 ~ NO 5	20.00	4.90	95.50																
NO 5 ~ NO 6	20.00	4.65	93.00																
NO 6 ~ NO 7	20.00	4.65	96.50																
NO 7 ~ NO 8	20.00	5.00	98.00																
		4.80																	
計	160.0		770.0																

各種計算法書(2工区:小野鷲山線)									
カッター汚泥量算出表									
・発生汚泥量									
アスファルト舗装版厚	t ≤ 15cm	0.023	m ×	0.05	m ×	29.90	=	0.034	m ³
	t ≤ 15cm	0.023	m ×		m ×		=	0.000	m ³
	t ≤ 15cm	0.023	m ×		m ×		=	0.000	m ³
コンクリート舗装版厚	t ≤ 15cm	0.023	m ×		m ×		=	0.000	m ³
	t ≤ 15cm	0.023	m ×		m ×		=	0.000	m ³
合計									0.03 m ³